

Get RMA Labels (Before)

This action occurs before an RMA label is retrieved. Changes made to the RMA label in this action persist in Kibo.

Action Type	Embedded
Full Action ID	embedded.commerce.return.GetRmaLabels.before
Runs multiple custom functions?	Yes

JavaScript File Structure

Action files share the following basic structure:

```
module.exports = function(context, callback) {  
  // Your custom code here  
  callback();  
};
```

When you code the custom function for an action, you have access to two arguments:

callback —This argument follows the established JavaScript callback pattern: it takes an error as the first argument (or null if there is no error) and a result as the second argument (if required).

context —This argument provides the function access to relevant objects and methods that interface with Kibo.

Context: Return

The following methods and objects are available to this action through the use of the **context** argument.

Microservice Operation

This action corresponds to the microservice that creates RMA labels.

Get Methods

- [get.getShipmentInfo](#)
- [get.getPackage](#)
- [get.getPackagesCount](#)

Exec Methods

- [exec.setDestinationAddress](#)
- [exec.setOriginAddress](#)

- [exec.setShippingMethodCode](#)

Context Objects Available to All Actions

- [apiContext](#)
- [configuration](#)

Get

get.getShipmentInfo

Retrieves shipment information for the return.

Parameters	Type	Description
N/A	N/A	N/A

Example:

```
context.get.getShipmentInfo();
```

Response:

```
{
  "auditInfo": {
    "createBy": "string",
    "createDate": "DateTime",
    "updateBy": "string",
    "updateDate": "DateTime"
  },
  "cost": "decimal",
  "currencyCode": "string",
  "destinationAddress": {
    "address": {
      "address1": "string",
      "address2": "string",
      "address3": "string",
      "address4": "string",
      "addressType": "string",
      "cityOrTown": "string",
      "countryCode": "string",
      "isValidated": "bool",
      "postalOrZipCode": "string",
      "stateOrProvince": "string"
    },
    "companyOrOrganization": "string",
    "email": "string",
    "firstName": "string",
    "id": "int",
    "lastNameOrSurname": "string",
    "middleNameOrInitial": "string",
    "phoneNumbers": {
      "home": "string".
```

```

        "mobile": "string",
        "work": "string"
    }
},
"id": "string",
"originAddress": {
    "address": {
        "address1": "string",
        "address2": "string",
        "address3": "string",
        "address4": "string",
        "addressType": "string",
        "cityOrTown": "string",
        "countryCode": "string",
        "isValidated": "bool",
        "postalOrZipCode": "string",
        "stateOrProvince": "string"
    },
    "companyOrOrganization": "string",
    "email": "string",
    "firstName": "string",
    "id": "int",
    "lastNameOrSurname": "string",
    "middleNameOrInitial": "string",
    "phoneNumbers": {
        "home": "string",
        "mobile": "string",
        "work": "string"
    }
},
"packageIds": "string",
"shippingMethodCode": "string",
"signatureRequired": "bool",
"trackingNumber": "string"
}

```

For information about the properties in the response, refer to the [REST API Help](#).

get.getPackage

Retrieves a specific package.

Parameters	Type	Description
index	number	The package index (based on the number of packages in the return).

Example:

```
context.get.getPackage(2);
```

Response:

```
{
  "auditInfo": {
```

```
"createBy": "string",
"createDate": "DateTime",
"updateBy": "string",
"updateDate": "DateTime"
},
"availableActions": "string",
"changeMessages": [
  {
    "amount": "decimal",
    "appld": "string",
    "appKey": "string",
    "appName": "string",
    "correlationId": "string",
    "createDate": "DateTime",
    "id": "string",
    "identifier": "string",
    "message": "string",
    "metadata": "object",
    "newValue": "string",
    "oldValue": "string",
    "subject": "string",
    "subjectType": "string",
    "success": "bool",
    "userFirstName": "string",
    "userId": "string",
    "userLastName": "string",
    "userScopeType": "string",
    "verb": "string"
  }
],
"code": "string",
"fulfillmentDate": "DateTime",
"fulfillmentLocationCode": "string",
"hasLabel": "bool",
"id": "string",
"items": [
  {
    "fulfillmentItemType": "string",
    "lineId": "int",
    "optionAttributeFQN": "string",
    "productCode": "string",
    "quantity": "int"
  }
],
"measurements": {
  "height": {
    "unit": "string",
    "value": "decimal"
  },
  "length": {
    "unit": "string",
    "value": "decimal"
  },
  "weight": {
    "unit": "string",
    "value": "decimal"
  },
  "width": {
    "unit": "string",
    "value": "decimal"
```

```

    value : decimal
  }
},
"packagingType": "string",
"shipmentId": "string",
"shippingMethodCode": "string",
"shippingMethodName": "string",
"status": "string",
"trackingNumber": "string"
}

```

For information about the properties in the response, refer to the [REST API Help](#).

get.getPackagesCount

Returns the total number of packages associated with the return.

Parameters	Type	Description
N/A	N/A	N/A

Example:

```
context.get.getPackage(2);
```

Response: A number indicating the total number of packages.

Exec

exec.setDestinationAddress

Sets the destination address for the RMA label.

Parameters	Type	Description
destinationAddressContact	object	An address object.

Example:

```
context.exec.setDestinationAddress(Address);
```

Response:

```

{
  "auditInfo": {
    "createBy": "string",
    "createDate": "DateTime",
    "updateBy": "string",
    "updateDate": "DateTime"
  },
  "cost": "decimal",
  "currencyCode": "string",

```

```

"destinationAddress": {
  "address": {
    "address1": "string",
    "address2": "string",
    "address3": "string",
    "address4": "string",
    "addressType": "string",
    "cityOrTown": "string",
    "countryCode": "string",
    "isValidated": "bool",
    "postalOrZipCode": "string",
    "stateOrProvince": "string"
  },
  "companyOrOrganization": "string",
  "email": "string",
  "firstName": "string",
  "id": "int",
  "lastNameOrSurname": "string",
  "middleNameOrInitial": "string",
  "phoneNumbers": {
    "home": "string",
    "mobile": "string",
    "work": "string"
  }
},
"id": "string",
"originAddress": {
  "address": {
    "address1": "string",
    "address2": "string",
    "address3": "string",
    "address4": "string",
    "addressType": "string",
    "cityOrTown": "string",
    "countryCode": "string",
    "isValidated": "bool",
    "postalOrZipCode": "string",
    "stateOrProvince": "string"
  },
  "companyOrOrganization": "string",
  "email": "string",
  "firstName": "string",
  "id": "int",
  "lastNameOrSurname": "string",
  "middleNameOrInitial": "string",
  "phoneNumbers": {
    "home": "string",
    "mobile": "string",
    "work": "string"
  }
},
"packageIds": "string",
"shippingMethodCode": "string",
"signatureRequired": "bool",
"trackingNumber": "string"
}

```

For information about the properties in the response, refer to the [REST API Help](#).

exec.setOriginAddress

Sets the origin address for the RMA label.

Parameters	Type	Description
originAddressContact	object	An address object.

Example:

```
context.exec.setDestinationAddress(Address);
```

Response:

```
{
  "auditInfo": {
    "createBy": "string",
    "createDate": "DateTime",
    "updateBy": "string",
    "updateDate": "DateTime"
  },
  "cost": "decimal",
  "currencyCode": "string",
  "destinationAddress": {
    "address": {
      "address1": "string",
      "address2": "string",
      "address3": "string",
      "address4": "string",
      "addressType": "string",
      "cityOrTown": "string",
      "countryCode": "string",
      "isValidated": "bool",
      "postalOrZipCode": "string",
      "stateOrProvince": "string"
    },
    "companyOrOrganization": "string",
    "email": "string",
    "firstName": "string",
    "id": "int",
    "lastNameOrSurname": "string",
    "middleNameOrInitial": "string",
    "phoneNumbers": {
      "home": "string",
      "mobile": "string",
      "work": "string"
    }
  },
  "id": "string",
  "originAddress": {
    "address": {
      "address1": "string",
      "address2": "string",
      "address3": "string",
      "address4": "string",
      "addressType": "string",
      "cityOrTown": "string"
    }
  }
}
```

```

    "cityOrTown": "string",
    "countryCode": "string",
    "isValidated": "bool",
    "postalOrZipCode": "string",
    "stateOrProvince": "string"
  },
  "companyOrOrganization": "string",
  "email": "string",
  "firstName": "string",
  "id": "int",
  "lastNameOrSurname": "string",
  "middleNameOrInitial": "string",
  "phoneNumbers": {
    "home": "string",
    "mobile": "string",
    "work": "string"
  }
},
"packageIds": "string",
"shippingMethodCode": "string",
"signatureRequired": "bool",
"trackingNumber": "string"
}

```

For information about the properties in the response, refer to the [REST API Help](#).

exec.setShippingMethodCode

Sets the shipping method for the RMA label.

Parameters	Type	Description
shippingMethodCode	string	The unique identifier of the shipping method.

Example:

```
context.exec.setDestinationAddress(Address);
```

Response:

```

{
  "auditInfo": {
    "createBy": "string",
    "createDate": "DateTime",
    "updateBy": "string",
    "updateDate": "DateTime"
  },
  "cost": "decimal",
  "currencyCode": "string",
  "destinationAddress": {
    "address": {
      "address1": "string",
      "address2": "string",
      "address3": "string",
      "address4": "string",
      "addressType": "string",
      "cityOrTown": "string"
    }
  }
}

```



```

    cityOrTown": "string",
    "countryCode": "string",
    "isValidated": "bool",
    "postalOrZipCode": "string",
    "stateOrProvince": "string"
  },
  "companyOrOrganization": "string",
  "email": "string",
  "firstName": "string",
  "id": "int",
  "lastNameOrSurname": "string",
  "middleNameOrInitial": "string",
  "phoneNumbers": {
    "home": "string",
    "mobile": "string",
    "work": "string"
  }
},
"id": "string",
"originAddress": {
  "address": {
    "address1": "string",
    "address2": "string",
    "address3": "string",
    "address4": "string",
    "addressType": "string",
    "cityOrTown": "string",
    "countryCode": "string",
    "isValidated": "bool",
    "postalOrZipCode": "string",
    "stateOrProvince": "string"
  },
  "companyOrOrganization": "string",
  "email": "string",
  "firstName": "string",
  "id": "int",
  "lastNameOrSurname": "string",
  "middleNameOrInitial": "string",
  "phoneNumbers": {
    "home": "string",
    "mobile": "string",
    "work": "string"
  }
},
"packagelds": "string",
"shippingMethodCode": "string",
"signatureRequired": "bool",
"trackingNumber": "string"
}

```

For information about the properties in the response, refer to the [REST API Help](#).

Context Objects Available to All Actions

apiContext

Accesses tenant information.

Properties	Type	Description
baseUrl	string	The base URL for the site.
basePciUrl	string	The base PCI URL for the site.
tenantPod	string	The name of the tenant pod in which the tenant resides.
appClaims	string	The application claims token.
appKey	string	The application key.
tenantId	integer	Unique identifier for the tenant.
siteId	integer	Unique identifier for the site. This ID is used at all levels of a store, catalog, and tenant to associate objects to a site.
masterCatalogId	integer	Unique identifier for the master catalog.
catalogId	integer	The unique identifier for the product catalog. Catalogs are part of a master catalog.
currencyCode	string	The default three-letter ISO currency code for monetary amounts.
previewDate	date/time	The date and time that the content is being viewed. This might be a future date if the content is previewed with an active date range set in the future.
localeCode	string	The locale code per the country code provided. This code determines the localized content to use and display.
correlationId	string	The unique identifier of the API request associated with the event action, which might contain multiple actions.
isAuthorizedAsAdmin	Boolean	Indicates whether the Dev Account user is authorized as an admin.
userClaims	string	The user claims token.

Example:

```
context.apiContext.baseUrl;
```