

# Order Item Attributes View

The Order Item Attributes view provides dimensions and measures for the extensible attributes associated with the Order Item data model.

The measures calculated by this view are:

Name	Measure Type	Description
Count	Count	Count of all order item attribute records.

The dimensions included in this view are:

Name	Data Type	Description
Attribute Name	String	The user-supplied name of the attribute.
Attribute Type	String	Will be "Shopper Entered" if the attribute value was entered by a shopper or "Predefined."
Attribute Value Data Type	String	The data type of the source product property, typically of type Bool, DateTime, Number, or String.
Attribute Value	String	Value of the attribute represented as a string. Will never be null.
Shopper Entered Attribute Value	String	Value of the attribute entered by the shopper represented as a string. May be null if attribute value is not entered by shopper.
Attribute Value (Boolean)	Yes/No	Value of the attribute if value data type is Boolean. Will be null if value data type is not Boolean.
Attribute Value (Datetime)	Datetime	Value of the attribute if value data type is Datetime. Will be null if value data type is not Datetime.
Attribute Value (Double)	Number	Value of the attribute if value data type is Double. Will be null if value data type is not Double.
Attribute Value (Number)	Number	Value of the attribute if value data type is Number. Will be null if value data type is not Number.

<b>Name</b>	<b>Data Type</b>	<b>Description</b>
Attribute Value (String)	String	Value of the attribute if value data type is String. Will be null if value data type is not String.
Catalog ID	Number	Unique identifier for the product catalog to which the ordered product belongs.
Fully Qualified Attribute Code	String	Unique identifier for the attribute to which the product belongs.
Line ID	Number	The line identifier assigned to the order item.
Order ID	String	Internal unique identifier of the order.
Order Item Created Date	Datetime	The timestamp of the date and time that the order item attribute was created.
Order Item ID	String	Internal unique identifier of the order item.
Order Item Updated Date	Datetime	The timestamp of the date and time that the order item attribute was last updated.
Product Code	String	The unique user-defined identifier for a product.
Product Name	String	The user-supplied name of the product.
Shopper Entered Attribute Value (Boolean)	Yes/No	Value of the shopper entered attribute if value data type is Boolean. Will be null if value data type is not Boolean.
Shopper Entered Attribute Value (Datetime)	Datetime	Value of the shopper entered attribute if value data type is Datetime. Will be null if value data type is not Datetime.
Shopper Entered Attribute Value (Double)	Number	Value of the shopper entered attribute if value data type is Double. Will be null if value data type is not Double.
Shopper Entered Attribute Value (Number)	Number	Value of the shopper entered attribute if value data type is Number. Will be null if value data type is not Number.

<b>Name</b>	<b>Data Type</b>	<b>Description</b>
Shopper Entered Attribute Value (String)	String	Value of the shopper entered attribute if value data type is String. Will be null if value data type is not String.
Site ID	Number	Unique identifier for the site. This ID is used at all levels of a store and catalog to associate objects to a site.
Site Name	String	The human readable name for the site associated with the Site ID.