

# Catalog and Site Structure Settings

Catalogs and sites are fundamental structural elements of your Kibo Composable Commerce Platform tenant. Even for OMS-only implementations, a catalog is required to perform customer service actions such as adding line items to an order or applying discounts. While catalogs are easily managed in the user interface as shown here, there are a number of [Catalog APIs](#) that can be used to interface with different aspects of the catalog.

## Catalogs and Sites

Refer to the following table for more information about master catalogs, catalogs, and sites:


Element	Description
Master catalog	A master catalog is a set of products that multiple catalogs can inherit from, with or without overridden properties. You can set global product properties that are shared across all associated catalogs at the master catalog level.
Catalog	A catalog is a subset of products tied to a specific site. You can override global product properties at the catalog level, such as price and description.
Sites	Sites are places from which you conduct transactions. You must tie each site to one and only one catalog.

For example, you have multiple catalogs - one for each of your sites - and you have one master catalog with which each catalog is associated. This allows you to easily share products across all your catalogs. Within each catalog, you can override certain properties of a product, such as price and description.

## System Structure Settings

Go to **System > Structure** in the Admin UI to find three sections.

- **Sites:** Lists your sites that are currently tied to a catalog.



The screenshot shows the 'Sites' section of the Admin UI. It features a table with columns for Site ID, Name, Catalog, Currency, Locale, and Status. There are three rows of data. A 'Create New Site' button is visible in the top right corner.

Site ID	Name	Catalog	Currency	Locale	Status	
14467	Maxine	Maxine (1)	USD	en-US	Active	⋮
14468	Max Shoes	Max Shoes (2)	USD	en-US	Active	⋮
14469	Venici	Venici (3)	USD	en-US	Active	⋮

- **Catalogs:** Lists your master catalogs and catalogs.

ID	Name	Currency	Locale	Status
▼ 1	Max Apparel Site Group	USD	en-US	Active
1	Maxine	USD	en-US	Active
2	Max Shoes	USD	en-US	Active
▼ 2	Venici Site Group	USD	en-US	Active
3	Venici	USD	en-US	Active

- **Channels:** Lists the channels your sites are associated with, such as online, kiosk, brick and mortar, etc.


Code	Name	Country
RET	Retail	US
ONL	Online	US

Refer to [Channel Settings](#) for more information about channel settings.

Your master catalogs, catalogs, and sites are all named after the tenant as it was named in Dev Center during provisioning. You can edit the names by expanding the actions menu and selecting **Rename**.



Do not delete a master catalog from your tenant if you only have one master catalog. If you need to delete a master catalog, ensure that you have an additional master catalog before deleting the master catalog. If you delete the only master catalog in your tenant, the tenant will no longer function properly and you will need to have an entire new tenant provisioned. Doing so will result in this error:



## Create Catalogs and Sites

You can create additional catalogs within your master catalog, or additional master catalogs with as many catalogs as you like. For each catalog, you must create a corresponding site.

### Create Master Catalogs

To create master catalogs:

1. Go to **System > Structure > Catalogs**.
2. Click **Create New Catalog**.
3. From the **Catalog Type** drop-down menu, choose **Master Catalog**.
4. Enter a **Master Catalog Name**.
5. Select a **Default Locale Code**.
6. Select all additional **Supported Locales** that child catalogs will be able to localize product data for.
7. Select a **Currency Code**.
8. Click **Save**.

Catalog Provisioning

Catalog Type\*  
Master Catalog

Master Catalog Name\*  
Example Catalog

Default Locale Code\*  
en-US

Supported Locales\*  
De-DE × Eu-ES × En-AU ×  
En-CA ×

Currency Code\*  
USD

Cancel Save

## Create a Child Catalog

To create a child catalog:

1. Go to **System > Structure > Catalogs**.
2. Click **Create New Catalog**.
3. From the **Catalog Type** drop-down menu, choose **Catalog**.
4. Select a **Master Catalog** for the catalog to inherit.
5. Enter a **Catalog Name**.
6. Select a **Default Locale Code**. This must be one of the locales supported by the master catalog.
7. Select a **Currency Code**.
8. Click **Save**.

### Catalog Provisioning

Catalog Type \*  
Catalog

Master Catalog \*  
Global (47)

Catalog Name \*  
Example Catalog

Default Locale Code \*  
ar-KW

Currency Code \*  
USD

Cancel Save

## Create a Site

To create a site:

1. Go to **System > Structure > Sites**.
2. Click **Create New Site**.
3. Enter a **Site Name**.  
You use this value to identify the site in the context switcher throughout Admin.
4. Choose whether or not the site represents a storefront that online shoppers can visit.
5. Choose a **Catalog** to associate with the site.
6. Choose a **Country Code**.
7. Select a **Locale Code**. This must be one of the locales supported by the catalog.
8. Click **Save**.

### Site Provisioning

Site Name \*  
Example Site

Storefront Site? \*  
 Storefront  
 Non-Storefront

Catalog \*  
US-Catalog (19) ▼

Country Code \*  
US - United States ▼

Locale Code \* ⓘ  
fr-CA ▼

Cancel Save

Although you can only associate one catalog with any given site, you can associate as many sites as you like with any given catalog. In many modules in Admin, there's a context switcher in the top left that allows you to select which site you want to view or edit.



After creating a new site, it may take up to 30 minutes before the cache refreshes and the site settings are available for configuration.